



Decision Notice Approval (amended)

Planning Act Form 5 (version 1.2 effective 7 February 2020) made under Section 282 of the Planning Act 2016 for a decision notice (approval) under s83 (change application)

Application number:	D/21-2021	Contact:	Kathy McDonald
Notice Date:	17 March 2025	Contact Number:	07 4936 8099

APPLICANT DETAILS

Name:	Westwood Ventures Pty Ltd		
Postal address:	C/- GSPC PO BOX 379 GRACEMERE QLD 4702		
Phone no:	07 4922 7033	Mobile no:	-
Email:	admin@gspc.com.au		

I acknowledge receipt of the above change application on 12 November 2024 and confirm the following:

DEVELOPMENT APPROVAL

Development Permit for Material Change of Use for a Service Station and Operational Works for Advertising Devices (one (1) freestanding sign, six (6) canopy signs and two (2) awning fascia signs)

PROPERTY DESCRIPTION

Street address:	4589 Capricorn Highway, Westwood
Real property description:	Lot 1 on SP340154

Dear Westwood Ventures Pty Ltd

I advise that, on 11 March 2025 the above change application was:

approved in full with conditions* (refer to the conditions contained in **Attachment 1**)

*Note: The conditions show which conditions have been imposed by the assessment manager and which conditions have been imposed by a referral agency.

CHANGES TO CONDITIONS

The conditions which have been changed or cancelled are as follows:

1)	Item 7 and Condition 2.1	Changed	11 March 2025
2)	Condition 3.1	Changed	11 March 2025
3)	Condition 4.3	Changed	11 March 2025
4)	Condition 15.3	New	11 March 2025
5)	Condition 15.4	New	11 March 2025
6)	Condition 15.5	New	11 March 2025

7)	Condition 15.6	New	11 March 2025
----	----------------	-----	---------------

1. DETAILS OF THE APPROVAL

The following approvals are given:

	Development Permit	Preliminary Approval
Development assessable under the planning scheme, superseded planning scheme, a temporary local planning instrument, a master plan or a preliminary approval which includes a variation approval - Material change of use - Operational work	<input checked="" type="checkbox"/>	<input type="checkbox"/>

2. CONDITIONS

This approval is subject to the conditions in Attachment 1.

3. FURTHER DEVELOPMENT PERMITS REQUIRED

Please be advised that the following development permits are required to be obtained before the development can be carried out:

Type of development permit required	Subject of the required development permit
Operational Works	<i>Access and Parking Works</i> <i>Site Works</i> <i>Landscaping Works</i> <i>Roof and Allotment Drainage Works</i>
Building Works	
Plumbing and Drainage Works	

4. REFERRAL AGENCIES

The following Referral Agencies were activated by this application.

1. For an application involving	Name of agency	Role of Agency	Contact Details
<i>Schedule 10, Part 9, Division 4, Subdivision 2, Table 4 – Material change of use of premises near a State transport corridor or that is a future State transport corridor</i>			
Development application for a material change of use, other than an excluded material change of use, that is assessable development under a local categorising instrument, if all or part of the premises— (a) are within 25m of a State transport corridor; or (b) are a future State transport corridor; or (c) are— (i) adjacent to a road that intersects with a State-controlled road; and (ii) within 100m of the intersection	The chief executive of the department in which the <i>Planning Act 2016</i> is administered: Queensland Treasury (State Assessment and Referral Agency Department)	Concurrence	<u>In person:</u> Level 2, 209 Bolsover Street, Rockhampton City <u>Online lodgement using MyDAS2:</u> https://prod2.dev-assess.qld.gov.au/suite/ <u>Email:</u> RockhamptonSARA@dsmip.qld.gov.au <u>Postal:</u> PO Box 113 Rockhampton Qld 4700

2. THE APPROVED PLANS

The approved development must be completed and maintained generally in accordance with the approved drawings and documents:

<u>Plan/Document Name</u>	<u>Prepared by</u>	<u>Date</u>	<u>Reference No.</u>	<u>Version/ Issue</u>
Staging Plan	GSPC	3 February 2025	241334-03	
Proposed Site Plan (as amended by Council)	MCHP Architects	12 August 2021	20-041 DA01	D
Proposed Site Plan	dezignelements	October 2024	24_202 S-01	
Existing and Proposed Floor Plan	dezignelements	October 2024	24_202 S-02	
Elevations	dezignelements	October 2024	24_202 S-03	
3D View	dezignelements	October 2024	24_202 S-04	
Car Canopy Plan and Elevations	MCHP Architects	12 August 2021	20-062 DA04	C
Truck Canopy Plan and Elevations	MCHP Architects	12 August 2021	20-062 DA05	C
Site Layout Plan	Siris & Associates	September 2024	SCE-24-003-003	C
Service Station Bulk Earthworks Plan	Siris & Associates	September 2024	SCE-24-003-004	C
Stormwater Layout Plan	Siris & Associates	September 2024	SCE-24-003-005	C
Traffic Impact Assessment Report	McMurtrie Consulting Engineers	25 May 2021	0672021	C
Stormwater Management Plan	McMurtrie Consulting Engineers	19 May 2021	067-20-21	A

3. CURRENCY PERIOD FOR THE APPROVAL (s.85 of the Planning Act) (change application)

The development approval lapses at the end of the following periods:

- (a) For any part of the development approval relating to a material change of use – if the change of use does not happen within six (6) years after the approval starts to have effect, if not stated otherwise in the conditions of approval attached; and
- (b) For any other part of the development approval – if the development does not substantially start within six (6) years after the approval starts to have effect, if not stated otherwise in the conditions of approval attached.

4. STATEMENT OF REASONS

Description of the development	The proposed development is for a Material Change of Use for a Service Station and Operational Works for Advertising Devices (one (1) freestanding sign, six (6) canopy signs and two (2) awning fascia sign)
Reasons for Decision	<ol style="list-style-type: none"> a) The proposal will improve the community's access to convenience goods, which will be provided at the Service Station retail outlet but will not be of scale that undermines the primacy and need for larger centres for higher order uses; b) The development is located within a Township place, as designated by the

	<p>Planning Scheme strategic framework mapping, which anticipate Service Station uses being established;</p> <p>c) Assessment of the development against the relevant zone purpose, planning scheme codes and planning scheme policies demonstrates that the proposed development will not cause significant adverse impacts on the surrounding natural environment, built environment and infrastructure, community facilities, or local character and amenity; and</p> <p>d) On balance, the application should be approved because the circumstances favour Council exercising its discretion to approve the application even though the development does not comply with an aspect of the assessment benchmarks.</p>	
<p>Assessment Benchmarks</p>	<p>The proposed development was assessed against the following assessment benchmarks:</p> <ul style="list-style-type: none"> • Strategic Framework; • Township Zone Code; • Advertising Device Code; • Flood Hazard Overlay Code; • Biodiversity Overlay Code; • Bushfire Hazard Overlay Code; • Access, Parking And Transport Code; • Landscape Code; • Stormwater Management Code; and • Water and Sewer Code. 	
<p>Compliance with assessment benchmarks</p>	<p>The development was assessed against all of the assessment benchmarks listed above and complies with all of these with the exception(s) listed below.</p>	
	<p>Assessment Benchmark</p>	<p>Reasons for the approval despite non-compliance with benchmark</p>
	<p>Township Zone Code</p>	<p>PO13</p> <p>The Service Station will operate 24 hours a day, seven (7) days a week, therefore will not comply with AO13.1 which requires non residential uses to operate between the hours of 0700 to 2200. However the proposal will be adequately separated from adjoining residences to mitigate potential noise and light impacts. Furthermore, the context of the site on the Capricorn Highway means that the development will not introduce additional traffic into the locality. Therefore, the proposed operating hours will have minimum additional impacts on the amenity of the surrounding area.</p>
	<p>Advertising Device Code</p>	<p>PO2</p> <p>The proposed Advertising Devices will not meet AO2.1, which states digital displays are not supported in the Township Zone.</p> <p>The proposed Advertising Devices are internally illuminated to ensure fuel prices and branding is visible at night. It is not expected that the lighting emissions would adversely impact on nearby amenity by causing a visual nuisance, given the distance from the development to</p>

		nearby sensitive receptors and in the context of the Capricorn Highway bisecting the township.
Matters raised in submissions	Issue	How matter was dealt with
	Concerns were raised that on site water and sewerage services will not be adequate to service the development.	The onsite water source has been determined to be sufficient to service the development. Registered bores RN 88485 and RN 88484 on Lot 89 W4612 currently supply water for the existing Hotel on the site. RN 88485 can provide a water flow rate of two (2) litres per second or 178,800 litres per day. The proposed development is expected to use 3,660 litres per day for sewerage servicing and 2,000 litres per day for dust suppression and irrigation, therefore the existing bores are sufficient to service the additional water for the proposed development and the existing Hotel. A new on site sewerage system is proposed for the development which will adequately service the proposal.
	Current car parking and verandah for the Hotel is located in the road reserve.	The car parking and verandah is existing and in relation to the Hotel, therefore is not contemplated under this application.
	The turn warrants and turning lanes are incorrect / insufficient.	This component was assessed by Department of Transport and Main Roads. They determined the traffic measures proposed as being sufficient to service the development, therefore approved the proposal subject to conditions.
	Concerns regarding flooding impacts to the development.	The southern portion of the development site is bounded by a waterway corridor for Westwood Creek and the site is partially affected by the Flood Hazard Overlay along this southern extent. Part of the proposed vehicle maneuvering area that provides egress to the Capricorn Highway is in this location. As indicated on the Westwood Flood Investigation, Flood Hazard Map, found on the Department of Natural Resources and Mines website, the location of the retail outlet and bowsers are well clear of the one per cent (1%) annual exceedance probability flood event and the egress appears to be generally clear showing the possibility of only a small portion being affected by a low flood hazard.
	Concerns raised regarding the following: <ul style="list-style-type: none"> • Increase in robberies; • Petrol sniffing; • No water permit for the Service Station; and Incompatible use to coexist with a hotel (increase risk of drink driving).	These concerns are not matters that are considered in the <i>Rockhampton Region Planning Scheme 2015</i> .
Matters prescribed by regulation	<ul style="list-style-type: none"> • The <i>Rockhampton Region Planning Scheme 2015</i> (version 2.1); and • The common material, being the material submitted with the application. 	

5. RIGHTS OF APPEAL

The rights of an applicant to appeal to a tribunal or the Planning and Environment Court against a decision about a development application are set out in chapter 6, part 1 of the *Planning Act 2016*. For particular applications, there may also be a right to make an application for a declaration by a tribunal (see chapter 6, part 2 of the *Planning Act 2016*).

Appeal by an applicant

An applicant for a development application may appeal to the Planning and Environment Court against the following:

- the refusal of all or part of the development application
- a provision of the development approval
- the decision to give a preliminary approval when a development permit was applied for
- a deemed refusal of the development application.

An applicant may also have a right to appeal to the Development tribunal. For more information, see schedule 1 of the *Planning Act 2016*.

The timeframes for starting an appeal in the Planning and Environment Court are set out in section 229 of the *Planning Act 2016*.

Attachment 2 is an extract from the *Planning Act 2016* that sets down the applicant's appeal rights and the appeal rights of a submitter.

6. WHEN THE DEVELOPMENT APPROVAL TAKES EFFECT

This development approval takes effect:

- From the time the decision notice is given – if there is no submitter and the applicant does not appeal the decision to the court.

Or

- When the submitter's appeal period ends – if there is a submitter and the applicant does not appeal the decision to the court.


Or

- Subject to the decision of the court, when the appeal is finally decided – if an appeal is made to the court.

7. ORIGINAL DECISION ASSESSMENT MANAGER

Name: Tarnya Fitzgibbon COORDINATOR DEVELOPMENT ASSESSMENT	Date: 21 September 2021
---	-------------------------

8. ASSESSMENT MANAGER

Name: Amanda O'Mara COORDINATOR DEVELOPMENT ASSESSMENT	Signature: 	Date: 17 March 2025
---	---	---------------------

C/C State Development, Infrastructure, Local Government and Planning (State Assessment and Referral Agency Department) - RockhamptonSARA@dsdilgp.qd.gov.au

Attachment 1 – Conditions of the approval

Part 1 – Conditions imposed by the assessment manager [Note: where a condition is imposed about infrastructure under Chapter 4 of the *Planning Act 2016*, the relevant provision of the Act under which this condition was imposed must be specified.]

Part 2 – Conditions required by the referral agency response

Attachment 2—Extract on appeal rights

1.0 ADMINISTRATION

- 1.1 The Developer and their employee, agent, contractor or invitee is responsible for ensuring compliance with the conditions of this development approval.
- 1.2 Where these Conditions refer to “Council” in relation to requiring Council to approve or to be satisfied as to any matter, or conferring on the Council a function, power or discretion, that role may be fulfilled in whole or in part by a delegate appointed for that purpose by the Council.
- 1.3 All conditions, works, or requirements of this development approval must be undertaken, completed, and be accompanied by a Compliance Certificate for any operational works required by this development approval:
- 1.3.1 to Council’s satisfaction;
 - 1.3.2 at no cost to Council; and
 - 1.3.3 prior to the commencement of the use,
- unless otherwise stated.
- 1.4 Infrastructure requirements of this development approval must be contributed to the relevant authorities, where applicable, at no cost to Council, prior to the commencement of the use, unless otherwise stated.
- 1.5 The following further Development Permits must be obtained prior to the commencement of any works associated with their purposes:
- 1.5.1 Operational Works:
 - (i) Access and Parking Works;
 - (ii) Roof and Allotment Drainage;
 - (iii) Landscaping; and
 - (iv) Site Works;
 - 1.5.2 Plumbing and Drainage Works; and
 - 1.5.3 Building Works:
 - (i) Demolition Works; and
 - (ii) Building Works.
- 1.6 All Development Permits for Operational Works and Plumbing and Drainage Works must be obtained prior to the issue of a Development Permit for Building Works.
- 1.7 All works must be designed, constructed and maintained in accordance with the relevant Council policies, guidelines and standards, unless otherwise stated.
- 1.8 All engineering drawings/specifications, design and construction works must be in accordance with the requirements of the relevant *Australian Standards* and must be approved, supervised and certified by a Registered Professional Engineer of Queensland.
- 1.9 Lot 1 on RP605296, Lot 2 on RP605296, Lot 88 on W4612, Lot 87 on W4612 and Lot 89 on W4612 must be amalgamated and registered as one lot prior to the commencement of the use.
- 2.0 APPROVED PLANS AND DOCUMENTS
- 2.1 The approved development must be completed and maintained generally in accordance with the approved plans and documents, except where amended by any condition of this development approval:

<u>Plan/Document Name</u>	<u>Prepared by</u>	<u>Date</u>	<u>Reference No.</u>	<u>Version/ Issue</u>
Staging Plan	GSPC	3 February 2025	241334-03	
Proposed Site Plan (as amended by Council)	MCHP Architects	12 August 2021	20-041 DA01	D
Proposed Site Plan	dezignelements	October 2024	24_202 S-01	
Existing and Proposed Floor Plan	dezignelements	October 2024	24_202 S-02	
Elevations	dezignelements	October 2024	24_202 S-03	
3D View	dezignelements	October 2024	24_202 S-04	
Car Canopy Plan and Elevations	MCHP Architects	12 August 2021	20-062 DA04	C
Truck Canopy Plan and Elevations	MCHP Architects	12 August 2021	20-062 DA05	C
Site Layout Plan	Siris & Associates	September 2024	SCE-24-003-003	C
Service Station Bulk Earthworks Plan	Siris & Associates	September 2024	SCE-24-003-004	C
Stormwater Layout Plan	Siris & Associates	September 2024	SCE-24-003-005	C
Traffic Impact Assessment Report	McMurtrie Consulting Engineers	25 May 2021	0672021	C
Stormwater Management Plan	McMurtrie Consulting Engineers	19 May 2021	067-20-21	A

2.2 Where there is any conflict between the conditions of this development approval and the details shown on the approved plans and documents, the conditions of this development approval must prevail.

2.3 Where conditions require the above plans or documents to be amended, the revised document(s) must be submitted for approval by Council prior to the submission of an application for a Development Permit for Operational Works.

3.0 STAGED DEVELOPMENT

3.1 This development approval is for a development to be undertaken in three (3) discrete stages, in accordance with the approved Site Plan – Staging Plan – 241334-03, dated 03 February 2025 (refer to condition 2.1).

Stage One must be completed prior to any other stage. All other stages are not required to be undertaken in any chronological order.

3.2 Unless otherwise expressly stated, the conditions must be read as being applicable to all stages.

3.3 The currency period for Stage one is six (6) years from the date this approval takes effect.

3.4 The currency period for Stage two and Stage three is ten (10) years from the date this approval takes effect.

4.0 ACCESS AND PARKING WORKS

- 4.1 A Development Permit for Operational Works (access and parking works) must be obtained prior to the commencement of any access and parking works on the development site.
- 4.2 All access and parking works must be designed and constructed in accordance with the approved plans (refer to condition 2.1), *Capricorn Municipal Development Guidelines*, *Australian Standard AS2890 "Parking facilities"* and the provisions of a Development Permit for Operational Works (access and parking works).
- 4.3 All access, parking and vehicle manoeuvring areas must be generally in accordance with approved Site Layout Plan SCE-24-003-003 by Siris & Associates dated September 2024. Design and construction must be in accordance with the provisions of a Development Permit for Operational Works (access and parking works).
- 4.4 The existing southern access from the Capricorn Highway to the development on Lot 2 on RP605296 must be permanently closed.
- 4.5 The existing northern access from the Capricorn Highway to the development on Lot 1 on RP605296 must be upgraded to comply with the requirements of the *Capricorn Municipal Development Guidelines*. The access must cater for all vehicles up to a Type 1 Road Train and be for ingress only.
- 4.6 The existing southern access from the Capricorn Highway to the development on Lot 87 and 89 W4612 must be upgraded to comply with the requirements of the *Capricorn Municipal Development Guidelines*. The access must cater for all vehicles up to a Type 1 Road Train and be for egress only (left-out only).
- 4.7 A new access from the Capricorn Highway to the development must be provided at the southern end of Lot 1 on RP605296. The access must cater for all vehicles up to a 8.8 metre service vehicle and be for egress only (right and left out).
- 4.8 All vehicular access to and from the development must be via the Capricorn Highway only.
- 4.9 All vehicles must ingress and egress the development in a forward gear.
- 4.10 Adequate sight distances must be provided for all ingress and egress movements at the access driveways in accordance with *Australian Standard AS2890.2 "Parking facilities - Off street commercial vehicle facilities"*.
- 4.11 A minimum of five (5) car parking spaces, six (6) heavy vehicle parking spaces and a loading bay must be provided on-site.
- 4.12 Provision of parking on the Capricorn Highway must be provided in accordance with the approved site plan (refer to condition 2.1).
- 4.13 Universal access parking spaces must be provided on-site in accordance with *Australian Standard AS2890.6 "Parking facilities - Off-street parking for people with disabilities"*.
- 4.14 Parking spaces must be line-marked in accordance with the approved Site Plan (refer to condition 2.1) and in accordance with the *Australian Standard AS2890 "Parking facilities"* and the provisions of a Development Permit for Operational Works (access and parking works).
- 4.15 All vehicle operations associated with the development must be directed by suitable directional, informative, regulatory or warning signs in accordance with *Australian Standard AS1742.1 "Manual of uniform traffic control devices"* and *Australian Standard AS2890.1 "Parking facilities – Off-street car parking"*.
- 4.16 Road signage and pavement markings must be installed in accordance with *Australian Standard AS1742.1 "Manual of uniform traffic control devices"*.
- 4.17 All vehicle operation areas must be illuminated in accordance with the requirements of *Australian Standard AS1158 "Lighting for roads and public spaces"*.

5.0 PLUMBING AND DRAINAGE WORKS

- 5.1 A Development Permit for Plumbing and Drainage Works must be obtained for the removal and/or demolition of any existing structures on the development site.
- 5.2 All internal plumbing and drainage works must be designed and constructed in accordance with the approved plans (refer to condition 2.1), *Capricorn Municipal Development Guidelines*, *Water Supply (Safety and Reliability) Act 2008*, *Plumbing and Drainage Act 2018*, Council's Plumbing and Drainage Policies and the provisions of a Development Permit for Plumbing and Drainage Works.

- 5.3 Adequate on-site water supply for domestic and fire-fighting purposes must be provided to the development, and may include the provision of a bore, dams, water storage tanks or a combination of each. This must be certified by a hydraulic engineer or other suitably qualified person.
- 5.4 Alteration, or relocation of internal plumbing and sanitary drainage works associated with the existing building must be in accordance with regulated work under the *Plumbing and Drainage Act 2018* and Council's Plumbing and Drainage Policies.
- 5.5 On-site sewerage treatment and disposal must be provided in accordance with the *Queensland Plumbing and Wastewater Code* and Council's Plumbing and Drainage Policies.

Note: On-site sewerage treatment works that have a total daily peak design capacity of at least 21 equivalent persons (EP) is considered as an Environmentally Relevant Activity in accordance with *Environmental Protection Act 1994*. Appropriate license will be required to operate the ERA.

- 5.6 The on-site sewerage treatment and disposal area must not be located within the existing water course and bores or conflict with the separation distance as detailed with the *Queensland Plumbing and Wastewater Code*.

6.0 ROOF AND ALLOTMENT DRAINAGE WORKS

- 6.1 A Development Permit for Operational Works (roof and allotment drainage works) must be obtained prior to the commencement of any drainage works on the development site.
- 6.2 All roof and allotment drainage works must be designed and constructed in accordance with the approved plans (refer to condition 2.1), *Queensland Urban Drainage Manual, Capricorn Municipal Development Guidelines*, sound engineering practice and the provisions of a Development Permit for Operational Works (roof and allotment drainage works).
- 6.3 All roof and allotment runoff from the development must be discharged such that it must not restrict, impair or change the natural flow of runoff water or cause a nuisance or worsening to surrounding land or infrastructure.
- 6.4 The development must not increase peak stormwater runoff for a selected range of storm events up to and including a one per cent (1%) Annual exceedance probability storm event, for the post-development conditions.
- 6.5 Any application for a Development Permit for Operational Works (roof and allotment drainage works) must be accompanied by engineering plans with details of any new drainage systems including retention systems, inlet and outlet structures, or the amendment and upgrading of existing drainage systems to implement the proposed drainage strategy.

7.0 SITE WORKS

- 7.1 A Development Permit for Operational Works (site works) must be obtained prior to the commencement of any site works on the development site.
 - 7.2 Any application for a Development Permit for Operational Works (site works) must be accompanied by an earthworks plan that clearly identifies the following:
 - 7.2.1 the location of cut and/or fill;
 - 7.2.2 the type of fill to be used and the manner in which it is to be compacted;
 - 7.2.3 the quantum of fill to be deposited or removed and finished cut and/or fill levels;
 - 7.2.4 details of any proposed access routes that are intended to be used to transport fill to or from the development site; and
 - 7.2.5 the maintenance of access roads to and from the development site so that they are free of all cut and/or fill material and cleaned as necessary.
 - 7.3 All earthworks must be undertaken in accordance with *Australian Standard AS3798 "Guidelines on earthworks for commercial and residential developments"*.
 - 7.4 Site works must be constructed such that they do not, at any time, in any way restrict, impair or change the natural flow of runoff water, or cause a nuisance or worsening to surrounding land or infrastructure.
- ## 8.0 BUILDING WORKS
- 8.1 A Development Permit for Building Works must be obtained for the removal and/or demolition of any existing structures on the development site.

- 8.2 A Development Permit for Building Works must be obtained for the proposed structures on the development site.
- 8.3 Structures must not be located within the on-site sewerage treatment and disposal area or conflict with the separation distances, in accordance with the *Queensland Plumbing and Wastewater Code*.
- 8.4 All external elements, such as air conditioners and associated equipment, must be adequately screened from public view, to Council's satisfaction.
- 8.5 Access to and use of the land the subject of this application must comply with the provisions of the *Disability Discrimination Act 1992* and/or the *Anti-Discrimination Act 1991*. If either of those statutes require the provision of access or facilities in a way that is inconsistent with this development approval, those facilities must be provided.
- 8.6 Impervious paved waste storage area/s must be provided in accordance with the approved plans (refer to condition 2.1) and the *Environmental Protection Regulation 2019* and must be:
- 8.6.1 designed and located so as not to cause a nuisance to neighbouring properties;
 - 8.6.2 surrounded by at least a 1.8 metre high screen fence that obstructs from view the contents of the waste storage area by any member of the public from any public place;
 - 8.6.3 of a sufficient size to accommodate commercial type bins that will be serviced by a commercial contractor plus clearances around the bins for manoeuvring and cleaning;
 - 8.6.4 setback a minimum of two (2) metres from any road frontage; and
 - 8.6.5 provided with a suitable hosecock and hoses at the refuse container area, and washdown must be drained to the sewer and fitted with an approved stormwater diversion valve arrangement in accordance with the Sewerage Trade Waste provisions and the *Plumbing and Drainage Act 2018*.
- As an alternative to a washdown facility, a fully contained commercial bin cleaning service is acceptable provided no wastewater is discharged from the site to the sewer.
- 8.7 A minimum 1.8 metre high screen fence must be erected along the common boundary of the subject site and the northern adjoining residential property to the extent as shown on the Proposed Site Plan (refer to condition 2.1). This fence must be built as part of Stage one.
- 9.0 LANDSCAPING WORKS
- 9.1 A Development Permit for Operational Works (landscaping works) must be obtained prior to the commencement of any landscaping works required by this development approval.
- 9.2 Landscaping must be constructed and/or established prior to the commencement of the use in all areas shown on the approved plans (refer to condition 2.1).
- 9.3 A minimum of one (1) metre in width of planting area must be established along the common boundary of the subject site and the northern adjoining residential property to the extent as shown on the Proposed Site Plan (refer to condition 2.1).
- 9.4 A Landscaping Plan must be submitted with any application for a Development Permit for Operational Works (landscaping works). The landscaping plans must be designed in accordance with the requirements of *Planning Scheme Policy SC6.12 - Landscape Design and Street Trees Planning Scheme Policy*.
- 9.5 A minimum of one (1) metre in width of planting area must be established along the common boundary of the subject site and the northern adjoining residential property.
- 9.6 At least fifty (50) per cent of all new plantings within the landscaping areas (refer to condition 2.1) must be locally native species with low water dependency.
- 9.7 Plant species must not include undesirable species identified in *Planning Scheme Policy SC6.12 – Landscape Design and Street Trees Planning Scheme Policy*.
- 10.0 ELECTRICITY
- 10.1 Electricity services must be provided to the development in accordance with the standards and requirements of the relevant service provider.
- 11.0 ASSET MANAGEMENT
- 11.1 Any alteration necessary to electricity, telephone, water mains, sewerage mains, and/or public utility installations resulting from the development or in connection with the development, must be undertaken and completed at no cost to Council.

- 11.2 Any damage to existing stormwater, water supply and sewerage infrastructure, kerb and channel, pathway or roadway (including removal of concrete slurry from public land and Council infrastructure), that occurs while any works are being carried out in association with this development approval must be repaired at full cost to the developer. This includes the reinstatement of any existing traffic signs or pavement markings that may have been removed or damaged.
- 12.0 ENVIRONMENTAL
- 12.1 An Erosion Control and Stormwater Control Management Plan prepared by a Registered Professional Engineer of Queensland in accordance with the *Capricorn Municipal Design Guidelines*, must be implemented, monitored and maintained for the duration of the development works, and until all exposed soil areas are permanently stabilised (for example, turfed, hydromulched, concreted, landscaped). The plan must be available on-site for inspection by Council Officers whilst all works are being carried out.
- 13.0 ENVIRONMENTAL HEALTH
- 13.1 Any lighting devices associated with the development, such as sensory lighting, must be positioned on the development site and shielded so as not to cause glare or other nuisance to nearby residents and motorists. Night lighting must be designed, constructed and operated in accordance with *Australian Standard AS4282 "Control of the obtrusive effects of outdoor lighting"*.
- 13.2 Operations on the site must have no significant impact as determined by Council on the amenity of adjoining premises or the surrounding area due to the emission of light, odour, noise or dust.
- 13.3 When requested by Council, noise monitoring must be undertaken and recorded within three (3) months, to investigate any genuine complaint of nuisance caused by noise. The monitoring data, an analysis of the data and a report, including noise mitigation measures, must be provided to Council within fourteen (14) days of the completion of the investigation. Council may require any noise mitigation measures identified in the assessment to be implemented within appropriate timeframes. Noise measurements must be compared with the acoustic quality objectives specified in the most recent edition of the *Environmental Protection (Noise) Policy*.
- 13.4 An incidents register must be kept at the premises and it must record any incidents including but not limited to:
- 13.4.1 any fire at the premises; and
 - 13.4.2 any release of contaminants not in accordance with the development approval conditions.
- 13.5 Odour and visible contaminants, including but not limited to dust, fume, smoke, aerosols, overspray or particulates, must not be released to the environment in a manner that will or may cause environmental nuisance or harm unless such release is authorised by Council.
- 13.6 Plant and equipment must be maintained in proper working order at all times, in accordance with the manufacturer's directions to ensure the efficiency of the equipment.
- 13.7 Stormwater must be prevented from entering contaminated work areas. Any stormwater which may enter into a contaminated area must not be drained to the stormwater drainage system.
- 13.8 Soil/silt must be prevented from being moved off the site by stormwater by such practicable means as may be necessary.
- 13.9 No contaminants are permitted to be released to land or water, including soil, silt, oils, detergents, etcetera. Any wash-down areas used for the maintenance or cleaning of equipment (including vehicles) must be appropriately bunded and drained to a holding tank and evaporated.
- 13.10 All chemicals and/or environmentally hazardous liquids must be contained within a covered, bunded storage area that has a volume of at least that of the largest container in the bund plus twenty-five percent (25%) of the total storage capacity.
- 13.11 An appropriate spill kit must be kept on-site for neutralising or decontaminating spills. The spill kit must be clearly identifiable, maintained regularly and stored in a central location that is easily accessible to employees. Staff must be adequately trained in the use of these materials. The spill kit may consist of:
- 13.11.1 a bin with a tight-fitting lid, partially filled with non-combustible absorbent material such as vermiculite;
 - 13.11.2 a broom, shovel, face shield, chemically-resistant boots and gloves; and
 - 13.11.3 waste bags and ties.

- 13.12 Any spillage of environmentally hazardous liquids or other materials must be cleaned up as quickly as practicable. Any spillage of waste and/or contaminants must not be hosed or swept to any stormwater drainage system, roadside gutter or waters.
- 14.0 CHEMICAL STORAGE
- 14.1 Adequate procedures and measures (including an inventory control system) must be in place to monitor the storage volumes within chemical tanks to prevent overflow and to detect leaks and for the inspection and maintenance of environmental control measures, for example, bunding, wastewater containment devices, interceptors and acoustic enclosures.
- 14.2 All fuel dispensing areas must be drained to a holding tank. Contaminants within the holding tank must be removed and disposed of as regulated waste (for example, fuel, oil). Clean water can then be deposited to the stormwater system.
- 15.0 OPERATING PROCEDURES
- 15.1 All construction materials, waste, waste skips, machinery and contractors' vehicles must be located and stored or parked within the development site. Storage of materials or parking of construction machinery or contractors' vehicles must not occur within the Capricorn Highway or Coverley Street.
- 15.2 All waste must be stored within a waste storage area (for example, general waste, recyclable waste, pallets, empty drums etcetera) in accordance with the approved plans (refer to condition 2.1). The owner of the land must ensure that:
- 15.2.1 the area is kept in a clean and tidy condition;
 - 15.2.2 fences and screens are maintained;
 - 15.2.3 no waste material is stored external to the waste storage area/s;
 - 15.2.4 contaminants/washdown does not discharge into water courses, drainage lines or onto adjoining properties; and
 - 15.2.5 the area is maintained in accordance with *Environmental Protection Regulation 2019*.
- 15.3 Operations on the development site must have no significant impact as determined by Council on the amenity of adjoining premises or the surrounding area due to the emission of light, noise, odour or dust.
- 15.4 When requested by Council, nuisance monitoring must be undertaken and recorded within three (3) months, to investigate any genuine complaint of nuisance as determined by Council caused by noise, light, odour or dust. An analysis of the monitoring data and a report, including nuisance mitigation measures, must be provided to Council within fourteen (14) days of the completion of the investigation and will require any mitigation measures identified in the assessment to be implemented within appropriate timeframes.
- 15.5 Where unsealed surface treatments are utilised in access, parking and vehicle manoeuvring areas, contaminants such as oils or chemicals must not be released onto the surface treatment.
- 15.6 All surface treatments must be operated and maintained in a manner so that there is no significant impact as determined by Council on the amenity of adjoining premises or the surrounding area being caused due to the emission of dust or resulting in sediment laden water.

PART 2 – OPERATIONAL WORKS FOR ADVERTISING DEVICES

- 16.0 ADMINISTRATION
- 16.1 The Developer is responsible for ensuring compliance with the Conditions of the approval by an employee, agent, contractor or invitee of the Developer.
- 16.2 Where these Conditions refer to "Council" in relation to requiring Council to approve or to be satisfied as to any matter, or conferring on the Council a function, power or discretion, that role of the Council may be fulfilled in whole or in part by a delegate appointed for that purpose by the Council.
- 16.3 All conditions of this approval must be undertaken and completed to the satisfaction of Council, at no cost to Council.
- 16.4 The following further development permits are required prior to the commencement of any works on the site:
- 16.4.1 Building Works.

16.5 Unless otherwise stated, all works must be designed, constructed and maintained in accordance with the relevant Council policies, guidelines and standards.

17.0 APPROVED PLANS AND DOCUMENTS

17.1 The approved advertising device must be completed and maintained generally in accordance with the approved drawings and documents, except where amended by the conditions of this permit.

<u>Plan/Document Name</u>	<u>Prepared by</u>	<u>Date</u>	<u>Reference No.</u>	<u>Version/ Issue</u>
Proposed Site Plan (as amended by Council)	MCHP Architects	12 August 2021	20-041 DA01	D
Car Canopy Plan and Elevations	MCHP Architects	12 August 2021	20-062 DA04	C
Truck Canopy Plan and Elevations	MCHP Architects	12 August 2021	20-062 DA05	C

17.2 A set of the above approved plans are returned to you as the Consultant. The Consultant is to supply one (1) Approved set to the contractor to be retained on site at all times during construction.

17.3 Where there is any conflict between the conditions of this approval and the details shown on the approved plans and documents, the conditions of approval must prevail.

17.4 Where conditions require the above plans or documents to be amended, the revised document(s) must be submitted for endorsement by Council prior to the submission of a Development Application for Building Works.

18.0 OPERATING PROCEDURE

18.1 All advertising devices must only display or advertise a matter associated with the primary purpose for which the premises are used, or the purpose stated in this approval.

18.2 All text and images displayed on the approved advertising device:

18.2.1 must be static;

18.2.2 must not imitate a traffic control device, move contrary to any traffic control device or include traffic instructions (for example 'stop'); and

18.2.3 must not involve moving parts or flashing lights.

18.3 Any lighting devices associated with the advertising device, such as sensory lighting, must be positioned on the site and shielded so as not to cause glare or other nuisance to nearby residents or motorists. Night lighting must be designed, constructed and operated in accordance with 'Australian Standard AS4282 – Control of the obtrusive effects of outdoor lighting' and 'Civil Aviation Safety Authority (CASA) Guidelines: Lighting in the vicinity of aerodromes: Advice to lighting designers'.

19.0 LUMINANCE

19.1 Luminance levels of the advertising device must not exceed the applicable levels listed in Table 2 below.

Table 2: Luminance levels for Advertising Devices
(Source: Outdoor Media Authority Digital Guideline)

Lighting Condition	Zone 1	Zone 2	Zone 3
Full Sun on Sign face	Maximum Output	Maximum Output	Maximum Output
Day Time Luminance	6000-7000 cd/m2	6000-7000 cd/m2	6000-7000 cd/m2
Morning/Evening/Twilight/inclement weather	1000 cd/m2	700 cd/m2	600 cd/m2

Night Time	500 cd/m ²	350 cd/m ²	300 cd/m ²
------------	-----------------------	-----------------------	-----------------------

Note:

Zone 1 very high ambient off street lighting i.e central city locations

Zone 2 high to medium off street ambient lighting

Zone 3 low levels of off street ambient lighting, i.e. most residential areas, rural areas.

20.0 ASSET MANAGEMENT

20.1 Any damage to, or alterations necessary, to electricity, telephone, water mains, sewerage mains, stormwater drains, and/or public utility installations resulting from the development or in connection with the development, must be undertaken immediately, at no cost to Council, and completed within the following timeframes:

20.1.1 where damage causes a hazard to pedestrian/traffic safety or interrupts a community service, immediately; or

20.1.2 as soon as reasonably possible as agreed with Council.

21.0 ADVERTISING DEVICE CONSTRUCTION AND MAINTENANCE

21.1 Council reserves the right for uninterrupted access to the site at all times during construction.

21.2 All Construction work and other associated activities are permitted only between 0630 hours and 1800 hours Monday to Saturday. No work is permitted on Sundays or public holidays. All requirements of the *Environmental Protection Act 1994* and the *Environmental Protection Regulation 2019* must be observed at all times.

21.3 All construction materials, waste, waste skips, machinery and contractors' vehicles must be located and stored or parked within the site.

21.4 Any proposed works within the vicinity (or zone of influence) of existing Council infrastructure will not adversely affect the integrity of the infrastructure. Any restoration works required on existing Council infrastructure as a result of proposed works will be at the developer's expense.

21.5 All conduits, wiring, switches or other control apparatus installed on an Advertising Device must be concealed from general view, with control apparatus secured in a manner to prevent unauthorised entry and display setting tampering.

21.6 All electrical services and systems must comply with Australian and New Zealand Standard AS/NZS 3000:2007 – "Electrical Installations".

21.7 All advertising devices must be maintained at all times on the premises by the owner of the premises to the same standard as it was when it was installed, and be maintained in a safe, clean, condition that does not adversely impact the visual amenity of the site.

ADVISORY Notes

NOTE 1. Aboriginal Cultural Heritage

It is advised that under section 23 of the *Aboriginal Cultural Heritage Act 2003*, a person who carries out an activity must take all reasonable and practicable measures to ensure the activity does not harm Aboriginal cultural heritage (the "cultural heritage duty of care"). Maximum penalties for breaching the duty of care are listed in the Aboriginal cultural heritage legislation. The information on Aboriginal cultural heritage is available on the Department of Aboriginal and Torres Strait Islander and Partnerships website www.datsip.qld.gov.au.

NOTE 2. Asbestos Removal

Any demolition and/or removal works involving asbestos materials must be undertaken in accordance with the requirements of the *Work Health and Safety Act 2011* and *Public Health Act 2005*.

NOTE 3. General Environmental Duty

General environmental duty under the *Environmental Protection Act 1994* prohibits unlawful environmental nuisance caused by noise, aerosols, particles, dust, ash, fumes, light, odour or smoke beyond the boundaries of the development site during all stages of the development including earthworks, construction and operation.

NOTE 4. Licensable Activities

Should an activity licensable by Rockhampton Regional Council be proposed for the development site, Council's Environment and Public Health Unit must be consulted to determine whether any approvals are required. Such activities may include food preparation, storage of dangerous goods or environmentally relevant activities. Approval for such activities is required before 'fit out' and operation.

NOTE 5. General Safety Of Public During Construction

The *Work Health and Safety Act 2011* and *Manual of Uniform Traffic Control Devices* must be complied with in carrying out any construction works, and to ensure safe traffic control and safe public access in respect of works being constructed on a road.

NOTE 6. Infrastructure Charges Notice

This application is subject to infrastructure charges in accordance with Council policies. The charges are presented on an Infrastructure Charges Notice.

NOTE 7. Duty to Notify of Environmental Harm

If a person becomes aware that serious or material environmental harm is caused or threatened by an activity or an associated activity, that person has a duty to notify Rockhampton Regional Council.

NOTE 8. Flood Hazard

The one per cent (1%) Annual exceedance probability (AEP) flood extents for the project area should be obtained from Queensland Globe and QSpatial. Where the project area is located within the inundation extents consideration should be given to flood risk for the development and how this risk can be mitigated to an acceptable level for the use proposed.



Attachment 1 – Part 2
Referral Agency Conditions – State
Development, Infrastructure, Local
Government and Planning (State
Assessment and Referral Agency
Department) *Planning Act 2016*

The following is an extract from the *Planning Act 2016* (Chapter 6)

Appeal rights

229 Appeals to tribunal or P&E Court

- (1) Schedule 1 states—
 - (a) matters that may be appealed to—
 - (i) either a tribunal or the P&E Court; or
 - (ii) only a tribunal; or
 - (iii) only the P&E Court; and
 - (b) the person—
 - (i) who may appeal a matter (the **appellant**); and
 - (ii) who is a respondent in an appeal of the matter; and
 - (iii) who is a co-respondent in an appeal of the matter; and
 - (iv) who may elect to be a co-respondent in an appeal of the matter.
- (2) An appellant may start an appeal within the appeal period.
- (3) The **appeal period** is—
 - (a) for an appeal by a building advisory agency—10 business days after a decision notice for the decision is given to the agency or
 - (b) for an appeal against a deemed refusal—at any time after the deemed refusal happens; or
 - (c) for an appeal against a decision of the Minister, under chapter 7, part 4, to register premises or to renew the registration of premises—20 business days after a notice is published under section 269(3)(a) or (4); or
 - (d) for an appeal against an infrastructure charges notice—20 business days after the infrastructure charges notice is given to the person; or
 - (e) for an appeal about a deemed approval of a development application for which a decision notice has not been given—30 business days after the applicant gives the deemed approval notice to the assessment manager; or
 - (f) for any other appeal—20 business days after a notice of the decision for the matter, including an enforcement notice, is given to the person.

Note—

See the P&E Court Act for the court's power to extend the appeal period.

- (4) Each respondent and co-respondent for an appeal may be heard in the appeal.
- (5) If an appeal is only about a referral agency's response, the assessment manager may apply to the tribunal or P&E Court to withdraw from the appeal.
- (6) To remove any doubt, it is declared that an appeal against an infrastructure charges notice must not be about—
 - (a) the adopted charge itself; or
 - (b) for a decision about an offset or refund—
 - (i) the establishment cost of trunk infrastructure identified in a LGIP; or
 - (ii) the cost of infrastructure decided using the method included in the local government's charges resolution.

230 Notice of appeal

- (1) An appellant starts an appeal by lodging, with the registrar of the tribunal or P&E Court, a notice of appeal that—
 - (a) is in the approved form; and
 - (b) succinctly states the grounds of the appeal.
- (2) The notice of appeal must be accompanied by the required fee.
- (3) The appellant or, for an appeal to a tribunal, the registrar must, within the service period, give a copy of the notice of appeal to—

- (a) the respondent for the appeal; and
 - (b) each co-respondent for the appeal; and
 - (c) for an appeal about a development application under schedule 1, table 1, item 1—each principal submitter for the development application; and
 - (d) for an appeal about a change application under schedule 1, table 1, item 2—each principal submitter for the change application; and
 - (e) each person who may elect to become a co-respondent for the appeal, other than an eligible submitter who is not a principal submitter in an appeal under paragraph (c) or (d); and
 - (f) for an appeal to the P&E Court—the chief executive; and
 - (g) for an appeal to a tribunal under another Act—any other person who the registrar considers appropriate.
- (4) The **service period** is—
 - (a) if a submitter or advice agency started the appeal in the P&E Court—2 business days after the appeal is started; or
 - (b) otherwise—10 business days after the appeal is started.
 - (5) A notice of appeal given to a person who may elect to be a co-respondent must state the effect of subsection
 - (6) A person elects to be a co-respondent by filing a notice of election, in the approved form, within 10 business days after the notice of appeal is given to the person.

231 Other appeals

- (1) Subject to this chapter, schedule 1 and the P&E Court Act, unless the Supreme Court decides a decision or other matter under this Act is affected by jurisdictional error, the decision or matter is non-appealable.
- (2) The Judicial Review Act 1991, part 5 applies to the decision or matter to the extent it is affected by jurisdictional error.
- (3) A person who, but for subsection (1) could have made an application under the Judicial Review Act 1991 in relation to the decision or matter, may apply under part 4 of that Act for a statement of reasons in relation to the decision or matter.
- (4) In this section— **decision** includes—
 - (a) conduct engaged in for the purpose of making a decision; and
 - (b) other conduct that relates to the making of a decision; and
 - (c) the making of a decision or the failure to make a decision; and
 - (d) a purported decision; and
 - (e) a deemed refusal.

non-appealable, for a decision or matter, means the decision or matter—

- (a) is final and conclusive; and
- (b) may not be challenged, appealed against, reviewed, quashed, set aside or called into question in any other way under the Judicial Review Act 1991 or otherwise, whether by the Supreme Court, another court, a tribunal or another entity; and
- (c) is not subject to any declaratory, injunctive or other order of the Supreme Court, another court, a tribunal or another entity on any ground.

232 Rules of the P&E Court

- (1) A person who is appealing to the P&E Court must comply with the rules of the court that apply to the appeal.
- (2) However, the P&E Court may hear and decide an appeal even if the person has not complied with rules of the P&E Court.

Schedule 1

Appeals

section 229

1 Appeal rights and parties to appeals

- (1) Table 1 states the matters that may be appealed to—(a) the P&E court; or (b) a tribunal.
- (2) However, table 1 applies to a tribunal only if the matter involves—
- (a) the refusal, or deemed refusal of a development application, for—
 - (i) a material change of use for a classified building; or
 - (ii) operational work associated with building work, a retaining wall, or a tennis court; or
 - (b) a provision of a development approval for—
 - (i) a material change of use for a classified building; or
 - (ii) operational work associated with building work, a retaining wall, or a tennis court; or
 - (c) if a development permit was applied for—the decision to give a preliminary approval for—
 - (i) a material change of use for a classified building; or
 - (ii) operational work associated with building work, a retaining wall, or a tennis court; or
 - (d) a development condition if—
 - (i) the development approval is only for a material change of use that involves the use of a building classified under the Building Code as a class 2 building; and
 - (ii) the building is, or is proposed to be, not more than 3 storeys; and
 - (iii) the proposed development is for not more than 60 sole-occupancy units; or
 - (e) a decision for, or a deemed refusal of, an extension application for a development approval that is only for a material change of use of a classified building; or
 - (f) a decision for, or a deemed refusal of, a change application for a development approval that is only for a material change of use of a classified building; or
 - (g) a matter under this Act, to the extent the matter relates to—
 - (i) the Building Act, other than a matter under that Act that may or must be decided by the Queensland Building and Construction Commission; or
 - (ii) the Plumbing and Drainage Act, part 4 or 5; or
 - (h) a decision to give an enforcement notice in relation to a matter under paragraphs (a) to (g); or
 - (i) a decision to give an infrastructure charges notice; or
 - (j) the refusal, or deemed refusal, of a conversion application; or
 - (k) a matter that, under another Act, may be appealed to the tribunal; or
 - (l) a matter prescribed by regulation.
- (3) Also, table 1 does not apply to a tribunal if the matter involves—
- (a) for a matter in subsection (2)(a) to (d)—
 - (i) a development approval for which the development application required impact assessment; and
 - (ii) a development approval in relation to which the assessment manager received a properly made submission for the development application; or
 - (b) a provision of a development approval about the identification or inclusion, under a variation approval, of a matter for the development.
- (4) Table 2 states the matters that may be appealed only to the P&E Court.
- (5) Table 3 states the matters that may be appealed only to the tribunal.
- (6) In each table—
- (a) column 1 states the appellant in the appeal; and
 - (b) column 2 states the respondent in the appeal; and
 - (c) column 3 states the co-respondent (if any) in the appeal; and
 - (d) column 4 states the co-respondents by election (if any) in the appeal.
- (7) If the chief executive receives a notice of appeal under section 230(3)(f), the chief executive may elect to be a co-respondent in the appeal.

Table 1
Appeals to the P&E Court and, for certain matters, to a tribunal

Table 1 Appeals to the P&E Court and, for certain matters, to a tribunal			
1. Development applications An appeal may be made against— (a) the refusal of all or part of the development application; or (b) the deemed refusal of the development application; or (c) a provision of the development approval; or (d) if a development permit was applied for—the decision to give a preliminary approval.			
Column 1 Appellant	Column 2 Respondent	Column 3 Co-respondent (if any)	Column 4 Co-respondent by election (if any)
The applicant	The assessment manager	If the appeal is about a concurrence	1 A concurrence agency that is not a co-respondent

Table 1 Appeals to the P&E Court and, for certain matters, to a tribunal			
		agency's referral response—the concurrence agency	2 If a chosen Assessment manager is the respondent—the prescribed assessment manager 3 Any eligible advice agency for the application 4 Any eligible submitter for the application
2. Change applications An appeal may be made against— (a) a responsible entity's decision for a change application, other than a decision made by the P&E court; or (b) a deemed refusal of a change application.			
Column 1 Appellant	Column 2 Respondent	Column 3 Co-respondent (if any)	Column 4 Co-respondent by election (if any)
1 The applicant 2 If the responsible entity is the assessment manager—an affected entity that gave a pre-request notice or response notice	The responsible entity	If an affected entity starts the appeal—the applicant	1 A concurrence agency for the development application 2 If a chosen assessment manager is the respondent—the prescribed assessment manager 3 A private certifier for the development application 4 Any eligible advice agency for the change application 5 Any eligible submitter for the change application
3. Extension applications An appeal may be made against— (a) the assessment manager's decision about an extension application; or (b) a deemed refusal of an extension application.			
Column 1 Appellant	Column 2 Respondent	Column 3 Co-respondent (if any)	Column 4 Co-respondent by election (if any)
1 The applicant 2 For a matter other than a deemed refusal of an extension application – a concurrence agency, other than the chief executive, for the application	The assessment manager	If a concurrence agency starts the appeal – the applicant	If a chosen assessment manager is the respondent – the prescribed assessment manager
4. Infrastructure charges notices An appeal may be made against an infrastructure charges notice on 1 or more of the following grounds a) The notice involved an error relating to – (i) The application of the relevant adopted charge; or Examples of errors in applying an adopted charge – <ul style="list-style-type: none"> • The incorrect application of gross floor area for a non-residential development • Applying an incorrect 'use category', under a regulation, to the development <ul style="list-style-type: none"> (i) The working out of extra demands, for section 120; or (ii) An offset or refund; or b) The was no decision about an offset or refund; or c) If the infrastructure charges notice states a refund will be given – the timing for giving the refund; or d) The amount of the charge is so unreasonable that no reasonable relevant local government could have			

Table 1 Appeals to the P&E Court and, for certain matters, to a tribunal			
imposed the amount.			
Column 1 Appellant	Column 2 Respondent	Column 3 Co-respondent (if any)	Column 4 Co-respondent by election (if any)
The person given the Infrastructure charges notice	The local government that gave the infrastructure charges notice	-	-
5. Conversion applications An appeal may be made against— (a) the refusal of a conversion application; or (b) a deemed refusal of a conversion application.			
Column 1 Appellant	Column 2 Respondent	Column 3 Co-respondent (if any)	Column 4 Co-respondent by election (if any)
The applicant	The local government to which the conversion application was made	-	-
6. Enforcement notices An appeal may be made against the decision to give an enforcement notice.			
Column 1 Appellant	Column 2 Respondent	Column 3 Co-respondent (if any)	Column 4 Co-respondent by election (if any)
The person given the enforcement notice	The enforcement authority	-	If the enforcement authority is not the local government for the premises in relation to which the offence is alleged to have happened—the local government

Table 2 Appeals to the P&E Court only			
1. Appeals from tribunal An appeal may be made against a decision of a tribunal, other than a decision under section 252, on the ground of— (a) an error or mistake in law on the part of the tribunal; or (b) jurisdictional error.			
Column 1 Appellant	Column 2 Respondent	Column 3 Co-respondent (if any)	Column 4 Co-respondent by election (if any)
A party to the proceedings for the decision	The other party to the proceedings for the decision	-	-
2. Eligible submitter appeals An appeal may be made against the decision to give a development approval, or an approval for a change application, to the extent that the decision relates to— (a) any part of the development application for the development approval that required impact assessment; or (b) a variation request.			
Column 1 Appellant	Column 2 Respondent	Column 3 Co-respondent	Column 4 Co-respondent by election

Table 2 Appeals to the P&E Court only			
		(if any)	(if any)
1 For a development application—an eligible submitter for the development application 2 For a change application—an eligible submitter for the change application	1 For a development application—the assessment manager 2 For a change application—the responsible entity	1 The applicant 2 If the appeal is about a concurrence agency's referral response—the concurrence agency	Another eligible submitter for the application
<p>3. Eligible submitter and eligible advice agency appeals</p> <p>An appeal may be made against a provision of a development approval, or failure to include a provision in the development approval, to the extent the matter relates to—</p> <p>(a) any part of the development application or the change application, for the development approval, that required impact assessment; or</p> <p>(b) a variation request.</p>			
Column 1 Appellant	Column 2 Respondent	Column 3 Co-respondent (if any)	Column 4 Co-respondent by election (if any)
1 For a development application—an eligible submitter for the development application 2 For a change application—an eligible submitter for the change application 3 An eligible advice agency for the development application or change application	1 For a development application—the assessment manager 2 For a change application—the responsible entity	1 The applicant 2 If the appeal is about a concurrence agency's referral response—the concurrence agency	Another eligible submitter for the application
<p>4. Compensation claims</p> <p>An appeal may be made against—</p> <p>(a) a decision under section 32 about a compensation claim; or</p> <p>(b) a decision under section 265 about a claim for compensation; or</p> <p>(c) a deemed refusal of a claim under paragraph (a) or (b).</p>			
Column 1 Appellant	Column 2 Respondent	Column 3 Co-respondent (if any)	Column 4 Co-respondent by election (if any)
A person dissatisfied with the decision	The local government to which the claim was made	-	-
<p>5. Registered premises</p> <p>An appeal may be made against a decision of the Minister under chapter 7, part 4.</p>			
Column 1 Appellant	Column 2 Respondent	Column 3 Co-respondent (if any)	Column 4 Co-respondent by election (if any)
1 A person given a decision notice about the decision 2 If the decision is to register premises or	The Minister	-	If an owner or occupier starts the appeal – the owner of the registered premises

**Table 2
Appeals to the P&E Court only**

renew the registration of premises—an owner or occupier of premises in the affected area for the registered premises who is dissatisfied with the decision			
<p>6. Local laws An appeal may be made against a decision of a local government, or conditions applied, under a local law about— (a) the use of premises, other than a use that is the natural and ordinary consequence of prohibited development; or (b) the erection of a building or other structure.</p>			
Column 1 Appellant	Column 2 Respondent	Column 3 Co-respondent (if any)	Column 4 Co-respondent by election (if any)
A person who— (a) applied for the decision; and (b) is dissatisfied with the decision or conditions.	The local government	-	-

**Table 3
Appeals to the tribunal only**

<p>1. Building advisory agency appeals An appeal may be made against giving a development approval for building work to the extent the building work required code assessment against the building assessment provisions.</p>			
Column 1 Appellant	Column 2 Respondent	Column 3 Co-respondent (if any)	Column 4 Co-respondent by election (if any)
A building advisory agency for the development application related to the approval	The assessment manager	The applicant	1 A concurrence agency for the development application related to the approval 2 A private certifier for the development application related to the approval
<p>3. Certain decisions under the Building Act and the Plumbing and Drainage Act An appeal may be made against a decision under— (a) the Building Act, other than a decision made by the Queensland Building and Construction Commission; or (b) the Plumbing and Drainage Act, part 4 or 5.</p>			
Column 1 Appellant	Column 2 Respondent	Column 3 Co-respondent (if any)	Column 4 Co-respondent by election (if any)
A person who received, or was entitled to receive, notice of the decision	The person who made the decision	-	-
<p>4. Local government failure to decide application under the Building Act An appeal may be made against a local government's failure to decide an application under the Building Act within the period required under that Act.</p>			
Column 1 Appellant	Column 2 Respondent	Column 3 Co-respondent	Column 4 Co-respondent by election

Table 3			
Appeals to the tribunal only			
		(if any)	(if any)
A person who was entitled to receive, notice of the decision	The local government to which the application was made	-	-